



Dealer Stamp:

12



Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana)

Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com



HONDA_Dio Brochure_11.75x8.25 Marc Marquez MotoGP Champion The Repsel Lenda Way REPJO RIPFOL Millengen A new and sportier look, aggressive design and fuelled by the spirit of a true racer, the DIO Repsol Honda Edition promises to unleash your sporty side. It's time to 'Keep DIOing it' the Repsol Honda way. REPSOL YOU WINGS





If thrill had a design language then this is it.

The Repsol Honda Edition of Dio is designed to inspire your inner racer. Flashy and fierce it's time to set the streets on fire.





HONDA_Dio Brochure_11.75x8.25 ADVANCED ***
TECHNOLOGY وي eSP Technology Get ready for one hell of a ride in the Honda Silent Start With ACG Dio. It is powered by the globally acclaimed Enhanced Smart Power Technology that Honda Dio is equipped with ACG starter, which starts the engine silently by removing the gear meshing noise. It also reduces maintenance cost. reduces friction and improves combustion delivering class leading performance and mileage. REPSOL Programmed Fuel Injection Sensor based PGM-FI system constantly adjusts the air/fuel mixture, as per the ride mode and conditions Side Stand Engine Cut Off* allowing complete combustion. This results in consistent performance, better fuel efficiency, all A revolutionary system that cuts off the engine when the weather start and lesser emissions. side stand is on engage mode.

HONDA_Dio Brochure_11.75x8.25



TECHNICAL SPECIFICATIONS

BODY DIMENSIONS		ENGINE	
Length	1808 mm	Туре	Fan Cooled, 4 Stroke, SI Engine
Width	723 mm	Displacement	109.51 cc
Height	1150 mm	Max Net Power	5.71 kW @ 8000 rpm
Wheel Base	1260 mm	Max Net Torque	9 N-m @ 4750 rpm
Ground Clearance	160 mm	Bore	47.0 mm
Seat Length	650 mm	Stroke	63.1 mm
Kerb Weight	103 kg	Fuel System	PGM-FI
Fuel Tank Capacity	5.3 L	Compression Ratio	10.0+0.2
TRANSMISSION		Air Filter Type	Viscous Paper Filter
Clutch Type	Automatic	Starting Method	Kick/self
TYRES & BRAKES		FRAME & SUSPENSIO	N
Tyre Size (Front)	90/90-12 54J	Frame Type	Under Bone
Tyre Size (Rear)	90/100-10 53J	Front	Telescopic Suspension
Tyre Type (Front)	Tubeless	Rear	3-Step Adjustable
Tyre Type (Rear)	Tubeless		Spring Loaded Hydraulic
Brake Type & Size (Front)	Drum 130mm	ELECTRICALS	
Brake Type & Size (Rear)	Drum 130 mm	Battery	3.0 Ah
		Headlamp	LED

•The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • *Distance to empty, real time and average mileage readings may vary as per variant and riding conditions • Dio meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • The technical specifications mentioned are for Deluxe variant • All features and colours may not be part of all variants • **Conditions apply • *Available as optional.









Other Honda Shield Products** Annual Maintenance Contract Road Side Assistance Engine Health Assurance









